

CETRA 2016

4th International Conference on Road and Rail Infrastructure
23-25 May 2016, Šibenik, Croatia

Road and Rail Infrastructure IV

Stjepan Lakušić – EDITOR

Organizer
University of Zagreb
Faculty of Civil Engineering
Department of Transportation



CETRA²⁰¹⁶

4th International Conference on Road and Rail Infrastructure
23–25 May 2016, Šibenik, Croatia

TITLE

Road and Rail Infrastructure IV, Proceedings of the Conference CETRA 2016

EDITED BY

Stjepan Lakušić

ISSN

1848-9850

PUBLISHED BY

Department of Transportation
Faculty of Civil Engineering
University of Zagreb
Kačićeva 26, 10000 Zagreb, Croatia

DESIGN, LAYOUT & COVER PAGE

minimum d.o.o.

Marko Uremović · Matej Korlaet

PRINTED IN ZAGREB, CROATIA BY

“Tiskara Zelina”, May 2016

COPIES

400

Zagreb, May 2016.

Although all care was taken to ensure the integrity and quality of the publication and the information herein, no responsibility is assumed by the publisher, the editor and authors for any damages to property or persons as a result of operation or use of this publication or use the information's, instructions or ideas contained in the material herein.

The papers published in the Proceedings express the opinion of the authors, who also are responsible for their content. Reproduction or transmission of full papers is allowed only with written permission of the Publisher. Short parts may be reproduced only with proper quotation of the source.

Proceedings of the
4th International Conference on Road and Rail Infrastructures – CETRA 2016
23–25 May 2016, Šibenik, Croatia

Road and Rail Infrastructure IV

EDITOR

Stjepan Lakušić
Department of Transportation
Faculty of Civil Engineering
University of Zagreb
Zagreb, Croatia

CETRA²⁰¹⁶

4th International Conference on Road and Rail Infrastructure

23–25 May 2016, Šibenik, Croatia

ORGANISATION

CHAIRMEN

Prof. Stjepan Lakušić, University of Zagreb, Faculty of Civil Engineering
Prof. emer. Željko Korlaet, University of Zagreb, Faculty of Civil Engineering

ORGANIZING COMMITTEE

Prof. Stjepan Lakušić	Assist. Prof. Maja Ahac	All members of CETRA 2016 Conference Organizing Committee are professors and assistants of the Department of Transportation, Faculty of Civil Engineering at University of Zagreb.
Prof. emer. Željko Korlaet	Ivo Haladin, PhD	
Prof. Vesna Dragčević	Josipa Domitrović, PhD	
Prof. Tatjana Rukavina	Tamara Džambas	
Assist. Prof. Ivica Stančerić	Viktorija Grgić	
Assist. Prof. Saša Ahac	Šime Bezina	

INTERNATIONAL ACADEMIC SCIENTIFIC COMMITTEE

Davor Brčić, University of Zagreb
Dražen Cvitanić, University of Split
Sanja Dimter, Josip Juraj Strossmayer University of Osijek
Aleksandra Deluka Tibljaš, University of Rijeka
Vesna Dragčević, University of Zagreb
Rudolf Eger, RheinMain University
Makoto Fujii, Kanazawa University
Laszlo Gaspar, Institute for Transport Sciences (KTI)
Kenneth Gavin, University College Dublin
Nenad Gucunski, Rutgers University
Libor Izvolt, University of Zilina
Lajos Kisgyörgy, Budapest University of Technology and Economics
Stasa Jovanovic, University of Novi Sad
Željko Korlaet, University of Zagreb
Meho Saša Kovačević, University of Zagreb
Zoran Krakutovski, Ss. Cyril and Methodius University in Skopje
Stjepan Lakušić, University of Zagreb
Dirk Lauwers, Ghent University
Dragana Macura, University of Belgrade
Janusz Madejski, Silesian University of Technology
Goran Mladenović, University of Belgrade
Tomislav Josip Mlinarić, University of Zagreb
Nencho Nenov, University of Transport in Sofia
Mladen Nikšić, University of Zagreb
Dunja Perić, Kansas State University
Otto Plašek, Brno University of Technology
Carmen Racanel, Technological University of Civil Engineering Bucharest
Tatjana Rukavina, University of Zagreb
Andreas Schoebel, Vienna University of Technology
Adam Szelaż, Warsaw University of Technology
Francesca La Torre, University of Florence
Audrius Vaitkus, Vilnius Gediminas Technical University



ENVIRONMENTAL IMPACT OF TRAFFIC NOISE

Riste Ristov¹, Slobodan Ognjenović², Ivana Nedevska¹

¹ *Prostor DOO Kumanovo and GEING Krebs und Kiefer – Skopje, Macedonia*

² *University “Ss. Cyril and Methodius”, Faculty of Civil Engineering – Skopje, Macedonia*

Abstract

The traffic systems, beside their economic and social advantage, have a negative impact as well as sources of significant environmental pollution in the area they are located. During planning and designing of the traffic communication, special attention needs to be paid to strict adherence of certain basic principles on environmental protection. The specificity of this issue can be seen in the multi-dimensional traffic impact on the environment. Regardless whether it concerns a human, an animal in urban surrounding or an animal in nature, the impact of noise is almost the same for everyone. As a consequence of the noise, problems can occur from psychological or physiological aspect, auditory perception might be damaged or lost for everyone. It is certain that the human is most resistant to the noise, so it can easily adjust and protect from the same. Most unfavourable impact the noise would have on animals in nature, for which the overexposure to noise would have extensive consequences both for finding food and reproduction. As follows, this paper will include the impacts and consequences of overexposed traffic noise on the environment.

Keywords: traffic systems, exposure, noise, human, environment

1 Introduction

Noise is an unpleasant and unwanted external sound, created by human activities, which is imposed onto the environment creating discomfort and disturbance. The most influential sound disturbances in the environment are the industrial and urban noise. Industrial noise is created by the surrounding industrial facilities whereas urban noise originates from traffic and the other contents of an urban area generating unwanted sounds. Urban environment is especially characterized by traffic noise mainly affecting human population. Besides being a nuisance in people's activities, disturbing them while they work, this noise type bothers them out of their professional working hours, at their homes and during rest, and especially at night. The increase of motorisation level intensifies traffic noise. This problem is especially present in cities without an adequate roundabout and without an appropriate solution of the urban traffic flow. Unplanned development, planning of large investment projects of modern highways, the large traffic flow through narrow streets and the low pavement quality results in a condition of considerable increase of noise in urban areas.

2 Influence of noise on people

The reactions of the human body to noise are not the same in each individual. They depend not only on the personal sensitivity to sound, but also on the period of exposure and on the intensity and character of the noise.




Figure 1 Critical health effects from noise

Each person senses and perceives sounds differently; similarly, each person withstands the sound intensity differently. This depends on the age of the person, on some innate deficiencies in the ear structure, as well as on shortcomings resulting from injuries and diseases. Human ear is adapted to receive sounds of 16 of 20 000 Hz frequencies. It is most sensitive to the high frequencies of 1 000 to 3 000 Hz, even to those of 5 000 Hz which are the most audible ones. The lowest sound intensity capable of causing sense of sound is called absolute threshold of hearing. The lowest intensity capable of causing pain is called pain threshold. The area between the hearing threshold and the pain threshold is called audible field. There is not consent on the noise level that leaves adverse influence of human organism in the world, but it has been generally accepted that noise of over 85 dB (A) already has negative impact on the hearing sense.

2.1 Psychological influence of noise

The psychological interpretation of noise and its impact on people cannot be defined by laws, or measured by instruments. The psychological impressions are assessed as pursuant to people's reactions, which are differently manifested and narrowly related to the nervous system and the person's psychological condition. Typical for the psychological influence of noise is the fact that the same noise is sensed differently by different individuals: some perceive it as noise and some as pleasant sound or bearable noise. From the psychological aspect, noise leaves its impact on memory capacity, on the numerical and verbal intelligence on the capacity of spatial orientation and reasoning (2).

2.2 Physiological influence of noise

The physiological influence of noise on people is a complex one, due to the functional correlation and the complexity of the organs. The impact of noise on people and their body organs is presented from the spectrum aspect.

2.2.1 Influence of noise from the hearing spectrum

The hearing spectrum noise influences several systems of the human body: the central nervous system, voice and speech, cardiovascular system, the internal secretion glands, the equilibrium system, the organ of sight, the blood chemistry, the electrolyte balance and the digestive system.

2.2.2 Influence of the noise from the infrasound range

Infrasound is relatively frequent in nature and it does not damage human health to a certain level of intensity. Disturbances due to infrasound are manifested by unstable movements, dizziness and lack of concentration. The said disturbances of the general condition of the organism is characterized by fatigue, apathy and reduction of work capacity. All these symptoms disappear shortly after the sound is interrupted.

2.2.3 Influence of the noise from the ultrasound range

Ultrasound can hardly travel through air, but can pass through fluids and solid bodies much more easily. This noise results in balance disturbances, headaches, dizziness, sleepiness, sleep disorders, irritability, increased temperature, increased sound sensitivity etc.

2.2.4 Influence of vibrations

Vibrations are low-frequency oscillations which usually create noise. Changes and disturbances incur when the oscillations have higher velocity and acceleration. Low-frequency vibrations influence the muscles and their tendons as well as the blood vessels resulting in different levels of damages.

2.3 Influence of the sound volume

The influence of noise on human organism can be classified into four levels depending on the sound volume:




Figure 2 Curves of the same volume (12)

- The area from zero to 30 phones is considered as absolutely harmless
- First level: from 30 to 60 phones leaving psychological impact
- Second level: 60 to 90 phones triggers changes in the vegetative nervous system. This results in a psychological and emotional impact, manifested in mental fatigue.
- Third level: from 90 to 120 phones triggers rapid physical and vegetative reactions and endangers the hearing system, causes heart and blood vessel diseases, as well as sense of thirst and swallowing difficulties.
- The fourth level of noise is higher than 120 phones, causing intensified changes of the third level, including skin damage, damage of the mucous membranes and of the nerve endings.

2.4 Influence of the sound frequency

Human hearing system is capable of receiving frequencies ranging from 16 to 20 000Hz. The frequency sensitivity limits vary depending on the individual, their age and the physiological condition of the hearing organs. The infrasound's influence by sound pressure which leaves its consequences on the entire body and they are felt on the bones and the muscles, impeding the basic human reflexes. On the other hand, ultrasounds have thermal influence, attacking the sensitive nerve endings of the skin and of the mucous membranes endangering all the parts of the inner ear.

3 Influence of noise on the living beings

The influence of intensive noise is different in domestic and in wild animals. Domestic animals react to noise similarly as people, as they live in the same location and share the same environment. Although they are more exposed to noise than the wild animals, their mortality rate is considerably lower. The noise exposure mostly influences their fertility rate, indirectly decrease the yield of regarding certain agricultural products. The gradual increase of the noise level in quiet natural areas dictates that the animals should either adapt to the new acoustic condition or leave. Over-exposure to noise in nature can largely complicate activities such as communication or navigation. The main results of excessive noise in nature are the hearing impediment and sudden increases in heart rate. Their reduced sense of hearing can make them into an easy prey and classify them among the endangered species. Also, in case of predators, impeded hearing can render them less able to hunt, resulting in the disturbance of the eco-system balance (13).

4 Influence of noise on plants

The number of researches estimating the effects of noise on the flora has recently increased. Noise influences plants indirectly, by affecting animals first. This is most visible in the areas with low wind intensity where the main fertilizers are certain types of insects and birds that disseminate the pollen. Great noise impact can be observed upon the sowing of some types of plants and trees where the seed is dispersed by rodents and insects that store seeds in the soil. On some tree types the influence of noise can be a long-lasting one, leaving its effects even after being completely eliminated, as noise delays the growth of such trees and thereby increases the time necessary for other ones to grow (15).

5 Conclusion

The rapid increase of high-velocity roads, as well as of water and air traffic makes the world an ever louder place to live. Therefore, it is clear that the overall traffic noise will leave important impact on the environment. This incites the opinion that the influence of noise is equal for all living beings. Although the most exposed to noise, people and domestic animals best adapt

to it and are most often the subject of the measures taken in view of anti-noise protection. The wild animals are less influenced but the measures taken for their protection against noise are the fewest.

There is no place in the world where it is possible to establish complete isolation against artificially created noise. The result is the fact that even the most affected animals do not have anywhere to move or to hide from it. This leads to extinction of certain animal species and forced adaptation of, unfortunately, the fewer of them.

References

- [1] Dixon Ward, W.: Auditory After-effects of Noise, SCOPE 24, Noise Pollution, Chapter 7, pp. 201-223 (1986)
- [2] Jansen, G., Gross, E.: Non-auditory Effects of Noise: Physiological and Psychological Effects, SCOPE 24, Noise Pollution, Chapter 8, pp. 225-247 (1986)
- [3] Miller, J.: Effects of Noise on People, US Environmental Protection Agency, (1971)
- [4] Singh, N., Davar, S.C.: Noise Pollution- Sources, Effects and Control, J. Hum. Ecol., 16(3): pp. 181-187 (2004)
- [5] Health effects of exposure to ultrasound and infrasound. Documents of the Health Protection Agency, Series B: Radiation, Chemical and Environmental Hazards, (2010).
- [6] Omubo-Pepple, V.B., Briggs-Kamara, M.A., Tamunobereton-ari, I.: Noise pollution in port harcourt Metropolis: sources, effects and control, Working and Living Environmental Protection, 7 (2010) 1, pp. 33-42. (2010)
- [7] Bond, M.: "Plagued by Noise", New Scientist, pp. 14-15, (16 Nov. 1996)
- [8] Berglund, B., Hassme, P.: Sources and effects of low-frequency noise, J. Acoust. Soc. Am. (1996); (5) pp. 2985-3002.
- [9] Goines, L., Hagler, L.: Noise Pollution: A Modern Plague, Southern Medical Journal, 287-293 (March 2007)
- [10] Evans, G.W., Lepore, S.J.: 'Nonauditory effects of noise on children' Children's Environment, Vol. 10, pp. 31-51 (1993)
- [11] Griefahn, B: Noise Pollution during the Night – A Possible Risk Factor for Health, SCOPE 24, Noise Pollution, Chapter 10, pp. 265-282 (1986)
- [12] Fletcher, H., Munson, W.A.: "Loudness, its definition, measurement and calculation", Journal of the Acoustic Society of America 5, pp. 82-108 (1933)
- [13] Mancini, K.M., Gladwin, D.N., Villed, R., Cavendish, M.G.: Effects of aircraft noise and sonic booms on domestic animals and wildlife 1988.
- [14] Understanding Noise Pollution, <http://www.conserve-energy-future.com/causes-and-effects-of-noise-pollution.php>
- [15] Noise pollution affects pollination and chances of seed germination http://ec.europa.eu/environment/noise/index_en.htm, 31.05.2012.